




**Fitting Instructions for RAD0104BK/TI Radiator Guard**  
**HONDA CBR 250R 2011**



**In This Kit There Should Be**  
**1x Radiator Guard (RAD0104BK)**  
**2 x Cable/Zip Tie**  
**2x 100mm Lengths of self adhesive Foam**



- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Undo and remove the upper radiator-mounting bolt arrowed in picture above left.
- Offer the radiator guard into position and using original upper bolt and secure the guard and radiator into position.
- Using the two cable/zip ties secure the guard into position in two places as shown above right.
- Tighten bolt.

ISSUE 1 05/05/2011 (NSY)



**Instructions de montage**  
RAD0104BK/TI Radiator Guard  
HONDA CBR 250R 2011



**Le kit doit contenir:**

- 1x Grille radiateur (RAD0104BK)
- 2 x Attache câble
- 2x 100mm Longueur de mousse autocollante



- Couper la mousse en bandeaux de 10mm et collez-les au bas du cadre, de façon à ce qu'ils se retrouvent entre le cadre et la grille de protection.
- Desserrer le boulon de fixation supérieur de radiateur (photo en haut à gauche).
- Mettre la protection en position et utiliser le boulon supérieur d'origine pour fixer la protection et le radiateur en position.
- Fixer la grille en protection avec les 2 attaches (photo de droite).
- Serrer les boulons.


ISSUE 1 05/05/2011 (NSY)



**Montageanleitung für den RAD0104BK/TI Kühlerschutz**  
**HONDA CBR 250R 2011**



**Dieser Kit beinhaltet:**  
**1x Kühlerschutz (RAD0104BK)**  
**2 x Kabelbinder**  
**2x 100mm selbstklebende Schaumstoffstreifen**



- Um den Kühlerschutz am Motorrad zu montieren, schneiden Sie zuerst die mitgelieferten Schaumstoff-Streifen in 10 mm breiten Streifen und kleben Sie diese auf der Rückseite des Kühlerschutzrahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind.
- Lösen und entfernen Sie die obere Montageschraube für den Kühler (siehe Bild oben links).
- Den Kühlerschutz in Position bringen und mit der (oberen) Originalmontageschraube den Kühlerschutz und den Kühler fixieren.
- Verwenden Sie die zwei Kabelbinder, um den Kühlerschutz an den zwei abgebildeten Positionen (siehe Bild oben rechts) zu befestigen.
- Ziehen Sie die Schraube fest.



#### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.